AYAH-BH CollN: Preventive Care and Depression Screening for Adolescents and Young Adults During the COVID-19 Pandemic

COVID-19 is presenting primary care practices with unprecedented challenges. At this time, the impact of COVID-19 on health care for adolescents and young adult (AYA) is largely unknown.

NIPN has designed this survey to better understand how health care is currently being delivered to AYA, with an additional focus of understanding how AYA may be assessed for depression during this time.

Our goal is to use what we learn from you to identify opportunities to support practices, to share aggregated data with the public health arm of this project and MCHB, and to inform planning efforts to resume the quality improvement project to improve adolescent screening and referal rates.

Practice Name: [dl_list_arm_1][practice_name]					
Adolescent and Young Adult (AYA) Visi	its				
What types of visits are your practice currently conducting for AYA?		 Well Visits Non-urgent sick visits Chronic disease management Medication management Other Not conducting any visits for AYA at this time 			
What other types of visits are your pra conducting for AYA at this time?	actice				
	Yes	No	Unknown		
Is your practice rescheduling upcoming AYA well visits for a future date?	0	0	0		
Is your practice administering immunizations to AYA during other types of visits?	0	0	0		
Is your practice screening for AYA for depression during other types of visits or during telephone triage?	0	0	0		
AYA Well Care Delivery					
How is your practice currently delivering AYA well visit care?		 In-person Using telehealth (where technology is used to remotely deliver clinical and other care services) Both in-person and using telehealth Other 			
Please describe how your practice is d well visit care.	elivering AYA				



How does your practice currently administer telehealth for AYA well visits? Select all that apply.	 Audio-only telephone in real time Audio and video technology in real time (e.g., video chat, web meeting) Store-and-forward through patient web portal (e.g., patient submits data into portal, practice retrieves data at a later time) Remote monitoring using biosensors, wearable devices, apps, etc. (e.g., glucose monitors, fitness devices, tracking apps) Other 	
In what other way(s) does your practice administer telehealth for AYA well visits?		
Is your practice currently being paid for AYA well visits conducted all or in part via telehealth?	 Yes, by Medicaid Yes, by Private Insurers Yes, by both Medicaid and Private Insurers No Prefer not to answer 	

How is your practice primarily conducting the different parts of the AYA well visit? (Please note that this list includes some, but not all, of the recommended parts of an AYA well visit)

	In-person	Remotely using telehealth	Will be completed at a later date	We do not do this as part of our AYA well visit
Patient History	\bigcirc	\bigcirc	0	0
Anticipatory Guidance	\bigcirc	\bigcirc	0	\bigcirc
Height and Weight	\bigcirc	\bigcirc	0	\bigcirc
Physical Examination	\bigcirc	\bigcirc	0	\bigcirc
Immunization	\bigcirc	\bigcirc	0	\bigcirc
Blood Pressure	\bigcirc	\bigcirc	0	\bigcirc
Hearing Screen	\bigcirc	0	0	\bigcirc
Vision Screen	\bigcirc	0	0	\bigcirc
Developmental Surveillance (e.g., physical, cognitive, emotional, social, and moral competencies)	0	0	0	0
Depression Screen	\bigcirc	0	0	\bigcirc
Psychosocial/Behavioral Assessment	0	0	0	0

AYA Depression Screening and Care



What validated tool(s) is your practice using to screen AYA for depression? (select all that apply)	 PHQ-2 (Patient Health Questionnaire-2) PHQ-9 (Patient Health Questionnaire-Adolescent) PSC-35 (Pediatric Symptom Checklist-35 Parent) PSC-35 Y (Pediatric Symptom Checklist-Youth) PSC-17 (Pediatric Symptom Checklist-17 Parent) PSC-17 Y (Pediatric Symptom Checklist-17 Youth) CBCL (Child Behavior Checklist) CDI-2 (Children's Depression Inventory-2) CDS (Columbia Depression Scale) GAIN-SS (Global Appraisal of Individual Needs, Short Screener) MQF (Mood and Feelings Questionnaire) BDI-II (Beck Depression Inventory-II) BDI-FS (Beck Depression Inventory (Fast Screen) PROMIS Pediatric Short Form Depressive Symptoms (Patient-Reported Outcomes Measurement Information System- Pediatric Short Form Depressive Symptoms) KADS (Kutcher Adolescent Depression Scale) Other No screens being conducted, only informal assessments being completed
Please list the valid tool(s) used if not named above:	
Is your practice able to treat and provide care (in-person or telehealth) for AYA who screen positive for depression at this time?	○ Yes ○ No
Is your practice able to refer AYA who screen positive for depression to other support services at this time?	 ○ Yes ○ No ○ Not Applicable
Does your practice team perceive an increase in the number of AYA with depression as compared to before the COVID-19 pandemic?	 ○ Yes ○ No ○ Unknown
What changes has your practice made to how you deliver care to AYA in the past month?	
What changes did your practice make in the past month to respond to COVID-19 that you hope to carry forward after the pandemic period has ended?	
Are there additional thoughts/comments you would like to share?	

