

Garrett Wu<sup>1</sup>; Jonathan Chen<sup>1</sup>, Marie Sandoval, MD<sup>1</sup>; Sean Maloney, MD<sup>1</sup>  
<sup>1</sup>Robert Larner MD College of Medicine at the University of Vermont

## Introduction

- Effective communication in health care is crucial, especially for patients with limited English proficiency (LEP). Patients with LEP face barriers regarding accessing and understanding medical information, which results in poor health outcomes and increased use of health care [1].
- Previous studies have highlighted that problems related to miscommunication, dissatisfaction, and poor compliance with their recommended treatment protocol have been documented due to language barriers [2][3]. Providers also consistently struggle with problems such as inability to access professional interpreters, translation accuracy issues, and not enough knowledge of being culturally sensitive [4].

## Objectives


1. Elaborate on healthcare providers' confidence in using patient letters for patients with LEP to learn ways to increase communication strategies and health outcomes.
2. Identify key challenges and strategies for improving communication with patients who have limited English proficiency using tools such as patient letters.

## Methods


A cross-sectional survey was conducted using REDCap to collect quantitative and qualitative data from healthcare providers. The survey included questions on demographics, physician confidence, communication practices, and challenges. Data analysis was performed using GraphPad Prism software v10, employing paired t-tests to compare confidence and evaluation levels across different demographics and practice settings.

## Results


**Figure 1. Familiarity Providing Patient Letters to LEP Patients**



**Figure 2. Provider Confidence in Communicating via Patient Letters Based on Frequency of Interaction with LEP Patients**




**Figure 3. Incidence of Challenges Faced by Providers in Delivering Patient Letters to LEP Patients**



## Results

**Provider Confidence in Effectively Communicating and Ensuring Patient Understanding through Patient Letters**



## Conclusion and Next Steps

The findings suggest a need for enhanced training programs to improve provider confidence and effectiveness in communicating with LEP patients.

By addressing the identified challenges and leveraging preferred communication methods, healthcare providers can improve patient outcomes and satisfaction.

Future initiatives should focus on developing training that address the nuances of language and cultural sensitivity.

**Acknowledgements:** Drs. Yao Li, Michelle Cangiano, Rachel K McEntee, Alicia Jacobs

## References

1. Flores, G. (2006). Language Barriers to Health Care in the United States. *New England Journal of Medicine*, 355(3), 229-231.
2. Institute of Medicine (US) Committee on Health Literacy. (2004). *Health Literacy: A Prescription to End Confusion*. National Academies Press (US).
3. Schenker, Y., Wang, F., Selig, S. J., Ng, R., & Fernandez, A. (2007). The Impact of Language Barriers on Documentation of Informed Consent at a Hospital with On-Site Interpreter Services. *Journal of General Internal Medicine*, 22(S2), 294-299.
4. Diamond, L. C., & Jacobs, E. A. (2010). Let's Not Contribute to Disparities: The Best Methods for Teaching Clinicians How to Overcome Language Barriers to Health Care. *Journal of General Internal Medicine*, 25(S2), 189-193.